Index to Volume 3 (1992)

No 1 pp 1–56
No 2 pp 57–112
No 3 113–208
No 4 209–272

Article index

Number 1

Industrial Review: Selection of flowmeters for nuclear fuel processing
A. J. Finlayson 3
Accounting for the effect of turbulent flow in large-bore fluidized bed pressure probes
R. D. Stiles and N. N. Clark 9
Probe measurements in gas–liquid systems
N. N. Clark, R. Seiss and R. Turton 17
Calculation of the flow around turbine flowmeter blades
Y. Xu 25
A model for the prediction of turbine flowmeter performance
Y. Xu 37
Sound attenuation and its relationship with interfacial area density in an air–water two-phase bubbly flow
N. M. Chung, W. K. Lin, B. S. Pei and Y. Y. Hsu 45

Number 2

Building a new National Standard for oil and multiphase flow measurement
N. W. King 59
Sound velocity and its relationship with interfacial area density in a steam/water, two-phase bubbly flow
N. M. Chung and W.-K. Lin 65
Axisymmetric-type vortex shedders for vortex flowmeters
J.J. Miau and M.T. Hsu 73
Small-probe-volume laser Doppler anemometry measurements of turbulent flow near the wall of a rib-roughened channel
S. R. Martin and C. J. Bates 81
Installation effects upon orifice flowmeters
G. L. Morrison, R. E. DeOtte Jr. and E. J. Beam 89
Determination of velocity profiles in oscillating pipe-flows by using laser Doppler velocimetry and ultrasonic measuring devices
M. Teufel, D. Trimis, A. Lohmüller, Y. Takeda and F. Durst 95
A new gas flowmeter based on cavity oscillations
R. K. Kim 103

Number 3

An overview of pulsating flow measurement
R. C. Mottram 114
The influence of pulsating flows on orifice plate flowmeters
P. Gajan, R. C. Mottram, P. Hebrard, H. Andriamihafy and B. Platet 118
Gauge line effects and DP transmitter response to flow pulsation through orifice plate
K. K. Botros, W. M. Jungowski and G. Petela 130
The measurement of dynamic differential pressure with reference to the determination of pulsating flows using DP devices
C. Clark 145
Pulsation effects on single- and two-rotor turbine meters
R. J. McKee 151
A software tool to calculate the over-registration error of a turbine meter in pulsating flow
K. N. Atkinson 167
Experimental study of a vortex flowmeter in pulsatile flow conditions
P. Hebrard, L. Malard and A. Strzelecki 173
Vortex shedding in oscillatory flow: geometrical effects
K. Al-Asmi and I. P. Castro 187
Theoretical and practical design of pulsation damping systems
L. E. Blodgett 203

Number 4

New techniques for multi-component flow velocity measurement using high-frequency pulsed diode lasers
D. Dopheide, M. Rinker and V. Strunck 211
Investigation of a floating element flowmeter
U. Bückle, F. Durst, B. Howe and A. Melling 215
Effects of flow disturbance on an ultrasonic gas flowmeter
E. Håkansson and J. Delsing 227
Energy metering system for high quality saturated steam
I. B. Hussein, I. Owen and A. M. Amini 235
Single straight-tube Coriolis mass flowmeter
G. Sultan 241
High data rate measurements of droplet dynamics in a vertical gas–liquid annular flow
C. J. Bates and J. M. Sheriff 247
Effect of plate depth on the performance of a Zanker flow straightener
E. M. Laws and A. Ouazzane 257

Author index

Al-Asmi, K., 187
Amini, A. M., 235
Andriamihafy, H., 118
Atkinson, K. N., 167
Bates, C. J., 81, 247
Beam, E. J., 89
Blodgett, L. E., 203
Botros, K. K., 130
Bückle, U., 215
Castro, I. P., 187
Chung, N. M., 45, 65
Clark, C., 145
Clark, N. N., 9, 17
Delsing, J., 227
Dopheide, D., 211
Dotte, Jr., R. E., 89
Durst, F., 95, 215
Finlayson, A. J., 3
Gajan, P., 118
Hakansson, E., 227
Hebrard, P., 118, 173
Howe, B., 215
Hsu, M. T., 73
Hsu, Y. Y., 45
Hussein, I. B., 235
Jungowski, W. M., 130
Kim, R. K., 103
King, N. W., 59
Laws, E. M., 257
Lin, W.-K., 65
Lin, W. K., 45
Lohmuller, A., 95
Malard, L., 173
Martin, S. R., 81
McKee, R. J., 151
Melling, A., 215
Miau. J. J., 73
Morrison, G. L., 89
Mottram, R. C., 114, 118
Ouazzane, A., 257
Owen, I., 235
Pei, B. S., 45
Petela, G., 130
Platet, B., 118
Rinker, M., 211
Seiss, R., 17
Sheriff, J. M., 247
Stiles, R. D., 9
Strunck, V., 211
Strzelecki, A., 173
Sultan, G., 241
Takeda, Y., 95
Teufel, M., 95
Trimis, D., 95
Turton, R., 17
Xu, Y., 25, 37

Keyword index

Acoustical filtering
Pulsating flow
Damping 203
Anemometry
Droplet dynamics
Gas-liquid flow 247
Axisymmetric shedders
Vortex flowmeters
Fluid dynamics 73
Bearing friction
Turbine flowmeter
Modelling 37
Bubble size distribution
Resistance probes
Multiphase flow 17
Bubbly flow
Sound attenuation
Interfacial area density 45
Sound velocity
Interfacial area density 65
CFD
Flowmeter
LDA 215
Cavity oscillations
Gas flowmeter
Pipelines 103
Coefficient of discharge
Installation effects
Orifice flowmeters 89

Index to Volume 3 (1992)

No 1 pp 1–56
No 2 pp 57–112
No 3 113–208
No 4 209–272

Article index

Number 1

Industrial Review: Selection of flowmeters for nuclear fuel processing
A. J. Finlayson 3
Accounting for the effect of turbulent flow in large-bore fluidized bed pressure probes
R. D. Stiles and N. N. Clark 9
Probe measurements in gas–liquid systems
N. N. Clark, R. Seiss and R. Turton 17
Calculation of the flow around turbine flowmeter blades
Y. Xu 25
A model for the prediction of turbine flowmeter performance
Y. Xu 37
Sound attenuation and its relationship with interfacial area density in an air–water two-phase bubbly flow
N. M. Chung, W. K. Lin, B. S. Pei and Y. Y. Hsu 45

Number 2

Building a new National Standard for oil and multiphase flow measurement
N. W. King 59
Sound velocity and its relationship with interfacial area density in a steam/water, two-phase bubbly flow
N. M. Chung and W.-K. Lin 65
Axisymmetric-type vortex shedders for vortex flowmeters
J.J. Miau and M.T. Hsu 73
Small-probe-volume laser Doppler anemometry measurements of turbulent flow near the wall of a rib-roughened channel
S. R. Martin and C. J. Bates 81
Installation effects upon orifice flowmeters
G. L. Morrison, R. E. DeOtte Jr. and E. J. Beam 89
Determination of velocity profiles in oscillating pipe-flows by using laser Doppler velocimetry and ultrasonic measuring devices
M. Teufel, D. Trimis, A. Lohmüller, Y. Takeda and F. Durst 95
A new gas flowmeter based on cavity oscillations
R. K. Kim 103

Number 3

An overview of pulsating flow measurement
R. C. Mottram 114
The influence of pulsating flows on orifice plate flowmeters
P. Gajan, R. C. Mottram, P. Hebrard, H. Andriamihafy and B. Platet 118
Gauge line effects and DP transmitter response to flow pulsation through orifice plate
K. K. Botros, W. M. Jungowski and G. Petela 130
The measurement of dynamic differential pressure with reference to the determination of pulsating flows using DP devices
C. Clark 145
Pulsation effects on single- and two-rotor turbine meters
R. J. McKee 151
A software tool to calculate the over-registration error of a turbine meter in pulsating flow
K. N. Atkinson 167
Experimental study of a vortex flowmeter in pulsatile flow conditions
P. Hebrard, L. Malard and A. Strzelecki 173
Vortex shedding in oscillatory flow: geometrical effects
K. Al-Asmi and I. P. Castro 187
Theoretical and practical design of pulsation damping systems
L. E. Blodgett 203

Number 4

New techniques for multi-component flow velocity measurement using high-frequency pulsed diode lasers
D. Dopheide, M. Rinker and V. Strunck 211
Investigation of a floating element flowmeter
U. Bückle, F. Durst, B. Howe and A. Melling 215
Effects of flow disturbance on an ultrasonic gas flowmeter
E. Håkansson and J. Delsing 227
Energy metering system for high quality saturated steam
I. B. Hussein, I. Owen and A. M. Amini 235
Single straight-tube Coriolis mass flowmeter
G. Sultan 241
High data rate measurements of droplet dynamics in a vertical gas–liquid annular flow
C. J. Bates and J. M. Sheriff 247
Effect of plate depth on the performance of a Zanker flow straightener
E. M. Laws and A. Ouazzane 257

Author index

Al-Asmi, K., 187
Amini, A. M., 235
Andriamihafy, H., 118
Atkinson, K. N., 167
Bates, C. J., 81, 247
Beam, E. J., 89
Blodgett, L. E., 203
Botros, K. K., 130
Bückle, U., 215
Castro, I. P., 187
Chung, N. M., 45, 65
Clark, C., 145
Clark, N. N., 9, 17
Delsing, J., 227
Dopheide, D., 211
Dotte, Jr., R. E., 89
Durst, F., 95, 215
Finlayson, A. J., 3
Gajan, P., 118
Hakansson, E., 227
Hebrard, P., 118, 173
Howe, B., 215
Hsu, M. T., 73
Hsu, Y. Y., 45
Hussein, I. B., 235
Jungowski, W. M., 130
Kim, R. K., 103
King, N. W., 59
Laws, E. M., 257
Lin, W.-K., 65
Lin, W. K., 45
Lohmuller, A., 95
Malard, L., 173
Martin, S. R., 81
McKee, R. J., 151
Melling, A., 215
Miau. J. J., 73
Morrison, G. L., 89
Mottram, R. C., 114, 118
Ouazzane, A., 257
Owen, I., 235
Pei, B. S., 45
Petela, G., 130
Platet, B., 118
Rinker, M., 211
Seiss, R., 17
Sheriff, J. M., 247
Stiles, R. D., 9
Strunck, V., 211
Strzelecki, A., 173
Sultan, G., 241
Takeda, Y., 95
Teufel, M., 95
Trimis, D., 95
Turton, R., 17
Xu, Y., 25, 37

Keyword index

Acoustical filtering
Pulsating flow
Damping 203
Anemometry
Droplet dynamics
Gas-liquid flow 247
Axisymmetric shedders
Vortex flowmeters
Fluid dynamics 73
Bearing friction
Turbine flowmeter
Modelling 37
Bubble size distribution
Resistance probes
Multiphase flow 17
Bubbly flow
Sound attenuation
Interfacial area density 45
Sound velocity
Interfacial area density 65
CFD
Flowmeter
LDA 215
Cavity oscillations
Gas flowmeter
Pipelines 103
Coefficient of discharge
Installation effects
Orifice flowmeters 89

Coriolis mass flowmeters
Single straight-tube
Zero drift 241
DP devices
Dynamic differential pressure
Pulsating flows 145
Damping
Pulsating flow
Orifice plates 114
Pulsating flow
Acoustical filtering 203
Droplet dynamics
Gas-liquid flow
Anemometry 247
Dryness fraction
Energy metering
Saturated steam 235
Dynamic behaviour
Orifice plate flowmeters
Pulsating flows 118
Dynamic differential pressure
Pulsating flows
DP devices 145
Energy metering
Saturated steam
Dryness fraction 235
Flow conditioning
Flow straightening
Swirl reduction 257
Flow disturbance
Gas flowmeters
Flowmeter geometry 227
Flow straightening
Flow conditioning
Swirl reduction 257
Flowmeter
LDA
CFD 215
Flowmeter geometry
Flow disturbance
Gas flowmeters 227
Flowmeter selection
Nuclear fuels
Processing 3
Fluid dynamics
Vortex flowmeters
Axisymmetric shedders 73
Fluidized beds
Turbulent flow
Pressure probes 9
Gas flowmeter
Cavity oscillations
Pipelines 103
Gas flowmeters
Flow disturbance
Flowmeter geometry 227
Gas-liquid flow
Droplet dynamics
Anemometry 247
Installation effects
Orifice flowmeters
Coefficient of discharge 89
Interfacial area density
Sound attenuation
Bubbly flow 45
Sound velocity
Bubbly flow 65
LDA
Turbulent flow
Reattachment 81
Flowmeter
CFD 215
Laser Doppler anemometry
Pulsed semiconductor lasers
Multi-component flow measurement
211
Laser Doppler velocimetry
Ultrasound pulsed echography
Oscillating pipe-flows 95
Leading edge separation
Turbine flowmeter
Vortex shedding 25
Metering errors
Pulsating flow
Vortex flowmeters 173
Modelling
Turbine flowmeter
Bearing friction 37
Multi-component flow measurement
Pulsed semiconductor lasers
Laser Doppler anemometry 211
Multiphase flow
Resistance probes
Bubble size distribution 17
Oil
National Standard 59
National Standard
Oil
Multiphase flow 59
Nuclear fuels
Flowmeter selection
Processing 3
Oil
Multiphase flow
National Standard 59
Orifice flowmeters
Installation effects
Coefficient of discharge 89
Orifice meters
Pulsations
Transmitters 130
Orifice plate flowmeters
Pulsating flows
Dynamic behaviour 118
Orifice plates
Pulsating flow
Damping 114
Oscillating pipe-flows
Ultrasound pulsed echography
Laser Doppler velocimetry 95
Oscillatory flow
Vortex shedding 187
Over-registration error
Turbine meter
Pulsating flow 167
Pipelines
Cavity oscillations
Gas flowmeter 103
Pressure probes
Turbulent flow
Fluidized beds 9
Processing
Flowmeter selection
Nuclear fuels 3
Pulsating flow
Orifice plate
Damping 114
Orifice plate flowmeters
Dynamic behaviour 118
Dynamic differential pressure
DP devices 145
Turbine meter
Over-registration error 167
Vortex flowmeters
Metering errors 173
Damping
Acoustical filtering 203
Pulsating gas flow
Pulsation
Turbine meters 151
Pulsations
Orifice meters
Transmitters 130
Pulsating gas flow
Turbine meters 151
Pulsed semiconductor lasers
Laser Doppler anemometry
Multi-component flow measurement
211
Reattachment
LDA
Turbulent flow 81
Resistance probes
Multiphase flow
Bubble size distribution 17
Saturated steam
Energy metering
Dryness fraction 235
Single straight-tube
Coriolis mass flowmeters
Zero drift 241
Sound attenuation
Bubbly flow
Interfacial area density 45
Sound velocity
Bubbly flow
Interfacial area density 65
Swirl reduction
Flow straightening
Flow conditioning 257
Transmitters
Orifice meters
Pulsations 130
Turbine flowmeter
Vortex shedding
Leading edge separation 25
Bearing friction
Modelling 37
Turbine meters
Pulsation
Pulsating gas flow 151
Pulsating flow
Over-registration error 167
Turbulent flow
Fluidized beds
Pressure probes 9
LDA
Reattachment 81
Ultrasound pulsed echography
Laser Doppler velocimetry
Oscillating pipe-flows 95
Vortex flowmeters
Axisymmetric shedders
Fluid dynamics 73
Pulsating flow
Metering errors 173
Vortex shedding
Turbine flowmeter
Leading edge separation 25
Oscillatory flow 187
Zero drift
Single straight-tube
Coriolis mass flowmeters 241

Conference report

1991 North Sea flow measurement workshop, Bergen, Norway
N. W. King 55